

INTERNATIONAL JOURNAL OF CURRENT ADVANCED RESEARCH

ISSN: O: 2319-6475, ISSN: P: 2319-6505, Impact Factor: 6.614 Available Online at www.journalijcar.org Volume 13; Issue 11; November 2024; Page No.xxxx-xxxx DOI: http://dx.doi.org/10.24327/ijcar.2024.xxxx.xxxx

Research Article

TRANSFORMING PATIENT CARE: THE IMPACT OF REMOTE PATIENT MONITORING ON CLINICAL OUTCOMES AT APOLLO TELEHEALTH'S CONNECTED CARE PROGRAMME

Dr.Md.Mubasheer Ali ., Mr. Vikram Thaploo., Dr. Ayesha Nazneen.,

Mr. Farooq Ahmed and Mr. Pavan Thanneeru

Sr Consultant,Internal Medicine,Clinical lead Apollo Telehealth Madhapur, Hyderabad.
 Chief Operating Officer (CEO) Apollo Telehealth Madhapur, Hyderabad.
 Chief Operating Officer (COO) & Chief Medical Officer (CMO), Apollo Telehealth Madhapur, Hyderabad.
 Lead, Medical Engineering Services. Apollo Telehealth Madhapur, Hyderabad.
 General Manager (GM)-IT, Apollo Telehealth Madhapur, Hyderabad.

ARTICLE INFO

Article History: Received: 27th November,2024 Received in revised form: 11th Dec,2024 Accepted: 4th Dec,2024

Key words: Telehealth; Remote Patient monitoring; digital health interventions; digital technologies; Connected Care Program.

ABSTRACT

Cost-effective patient care and monitoring solutions are desperately needed, since the world's population continues to grow, and the prevalence of chronic illnesses continues to rise. This study examines Apollo Telehealth's (ATH) Remote Patient Monitoring (RPM) program, which combines wearable technology, cloud-based data transfer, and real-time analytics to ease ongoing monitoring and timely medical intervention, thereby lowering intensive care unit (ICU) admissions. In order to ensure quick and efficient patient care, the program makes use of a thorough communication network that connects nurse stations, clinical teams, and a central command centre manned by medical specialists. This study offers insights into the RPM system's potential to transform healthcare practices by examining its deployment, clinical outcomes, and difficulties.

Copyright[©] The author(s) 2024, This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original work is properly cited.

INTRODUCTION

Due mostly to the increasing frequency of chronic diseases, the demand for healthcare services increases along with the worldwide population. This tendency calls for creative healthcare solutions able to provide complete medical treatment under efficient cost control.(1). Remote patient monitoring (RPM) is one such method that lets one constantly monitor patients' health independent of their location. RPM enables early detection and timely medical intervention by means of technology including wireless sensor networks, cloud computing, and machine learning, therefore improving patient outcomes and saving costs. (2)

This paper helps in examining the Connected Care Program launched by Apollo Telehealth (ATH), which uses RPM to improve patient management and lower ICU admissions across Apollo hospitals. Consistent vital sign tracking and integration of this data into an electronic medical record (EMR)

*Corresponding author: Dr.Md.Mubasheer Ali

Consultant,Internal Medicine,Clinical lead Apollo Telehealth-Madhapur, Hyderabad.

system by the RPM system helps to enable real-time clinical evaluations and fast reactions to possible health hazards. By a structural, procedural, and impact examination of the program, this research emphasizes the contribution of ATH's RPM in promoting contemporary healthcare practices.

Background

There is a higher risk of unanticipated clinical worsening for hospitalized patients, especially those with chronic diseases or acute ailments. (3) Worse results, such as higher rates of morbidity and mortality, are frequently the result of intervention delays. (4). Periodic inspections, the backbone of traditional hospital surveillance, could overlook warning signals of health decline. Remote patient monitoring (RPM) addresses this challenge by consistently gathering patients' vital signs. This enables healthcare providers to respond proactively by promptly identifying changes before situations deteriorate.

The RPM system developed by Apollo Telehealth was meant to solve care gaps brought about by intermittent monitoring's constraints. (5). The program uses wearable sensors measuring physiological variables including heart rate, respiration rate, body temperature, and oxygen saturation. With data sent to the EHR every two minutes, supporting clinical decision-making with almost real-time insights, the system's introduction in few of the Apollo hospitals has demonstrated encouraging outcomes.

RPM Systems: Development and Significance

Remote patient monitoring is now a practical and successful method of treatment thanks to recent technical developments.

The necessity to close important gaps in conventional healthcare models drives the evolution of RPM. Elderly patients and those with disabilities, who might need regular monitoring, sometimes go unmet by hospital-based treatment. By means of constant monitoring of vital signs made possible by RPM, the quality of treatment for these groups is enhanced and medical condition escalation is prevented.

The RPM program of Apollo Telehealth stretches the advantages of continuous monitoring outside traditional hospital environments. Along with vital signs, the system gathers information on hospital room logistical elements including patient mobility or whether they have fallen from bed. Providing actionable insights during medical crises and epidemics, the RPM system has shown efficacy in matching monitoring data with real-world patient circumstances with a success rate of about 95%.

The Mechanism of Remote Patient Monitoring at Apollo Telehealth.

At the heart of ATH's RPM initiative is the deployment of wearable devices that continuously track key physiological parameters, including pulse rate, blood pressure, body temperature, and oxygen saturation (SPO2). An integrated EMS sends the data these sensors gather to Apollo's central servers. Healthcare professionals depend on this real-time data flow to access the most recent clinical information and support quick treatments. (6)

At a central command centre (CCC), where specialized healthcare experts are monitoring the data round the clock, then process and examine the clinical data. This constant awareness guarantees rapid identification of changes from baseline health criteria and starts suitable reactions to stop clinical degradation. The seamless data flow between the wearable sensors, cloud servers, and EMR systems makes patient monitoring easy.

Clinical Implications and Benefits of RPM

RPM implementation offers a number of clinical advantages that have a big influence on patient outcomes. RPM helps healthcare teams react quickly by facilitating the early detection of possible health problems through continuous physiological parameter monitoring. For example, almost at once one can detect an unexpected rise in heart rate or a drop in blood oxygen levels, enabling for a fast medical treatment that might prevent more disastrous results. (7).

Furthermore, by preventing unnecessary hospitalizations, this continuous monitoring paradigm reduces the load on intensive care units (ICUs) and high-dependency units (HDUs). Less intensive settings can be used to manage patients who would otherwise need intensive care unit (ICU)-level care, maximizing hospital resources and lowering medical expenses. In addition to improving the patient experience by offering focused care, the RPM program lessens the financial strain brought on by

extended hospital stays and recurrent readmissions.

Furthermore, making use of the data generated by RPM are clinical research and quality enhancement. Using aggregated health data to identify patterns and guide best practices helps to produce ongoing improvements in the provision of healthcare. (8)

Emergency Care and Continuous Monitoring Workflow

The RPM system at Apollo Telehealth (ATH) is easily incorporated into the emergency treatment process to improve patient outcomes and monitoring. The attending physician does an initial examination upon arrival at the emergency department (ER) to ascertain whether ongoing monitoring is necessary. An electronic medical record (EMR) is made to record detailed clinical data, and the patient is enrolled in the RPM program if their condition allows it. The National Early Warning Score 2 (NEWS 2) criteria, which offer a standardized evaluation of the patient's condition, are integrated into the EMR at the moment of enrolment as part of ATH's dedication to a comprehensive approach. (9) Following enrolment, the patient is moved to a ward that has wearable monitoring equipment that continuously records vital indicators including oxygen saturation, heart rate, and breathing rate and sends the information to the electronic medical record. A 360-degree perspective of the patient's complete clinical trajectory is made possible by the integration of NEWS 2 into the EMR, which aids physicians in keeping an eye on the patient's health during their hospital stay. Incoming data is regularly compared to predetermined threshold ranges by the RPM system. (10). The clinical team receives an alert when a vital indicator deviates from these bounds. Alerts can be classified as either non-clinical, which pertains to technical problems such device malfunctions that are handled by the technical team, or clinical, which indicates possible health dangers that need to be evaluated right away. This methodical technique gives a thorough picture of the patient's clinical development during their observation period while guaranteeing that patient safety always comes first.

The Role of Apollo Telehealth's Central Command Centre in Remote Patient Monitoring

As the hub for ongoing patient care, Apollo Telehealth's Central Command Centre (CCC) is essential to the success of its Remote Patient Monitoring (RPM) program. The CCC has sophisticated monitoring dashboards that show data in real time from wearable devices that are connected to patients and record vital signs like blood pressure, oxygen saturation, heart rate, and breathing rate. Quick and well-informed decision-making is made possible by this centralized design, which guarantees that vital health information is accessible at a glance. (11)

A heterogeneous team of emergency physicians, super specialists, critical care experts, technological workers, and skilled nurses support the CCC's operations. Together, this multidisciplinary team monitors real-time patient data aroundthe-clock to guarantee that every patient's status is frequently monitored and that no warning is missed. With many levels of control, the team can rapidly spot patient health aberrations, therefore lowering the possibility of clinical deterioration. For example, instant notifications are sent out when vital signs

Transforming Patient Care: The Impact of Remote Patient Monitoring on Clinical Outcomes at Apollo Telehealth's Connected care programme

tan Miller Cable			Enhanced Connected Care
	■ All (32) ▲ Admitted (32) ✓ Advised (0) ■ Paused (0)	〒 Filters ✔	
32 Admissions	Q Search Patient Name or Facility or IP Number	Pick a date range	a a 🖷 1
11/62	Devices Lifesignals:ANROS Lifesignals BP & Spo2LSBFB410	Devices Lifesignals:ANUQY Lifesignals BP & Spo2LSD6EE5C	Lifesignals:AOLZE Lifesignals BP & Spo2LSC14884
24 Male 6300169377	23 Male 968633884	69 Female 9715552828	63 Male 9949592275
Admitted At Speciality 5 Nov'24 1:17 pm Enhanced Care	Admitted At Speciality 5 Nov/24 12:51 pm Enhanced Care	Admitted At Speciality 5 Nov/24 12:42 pm Enhanced Care	Admitted At Speciality 5 Nov'24 12:24 pm Enhanced Care
Facility Name Bed	Facility Name Bed	Facility Name Bed Articlearantistican-A Retrasticative and unitrage223	Facility Name Eastimatic (Low CREARING 21) (Link) (2017 / 09245
IP Number UHID IP475485 APJ1.0002340959	IP Number UHID IP478138 ARH1.0001243961	IP Number UHID IP478111 APJ1.0029705824	IP Number UHID IP477965 APC2.0000429463
Case Brief Scatus HTN CKD S/P RENAL TX LT MCA ICA INFARCT BURKITTS LYMPHOMA GI BLEED	Status Admitted	Case Brief Status RIGHT FEMUR IT FRACTURE Admitted	Case Brief Status CAD Admitted
	Devices Lifesignals:ANLNT	Devices	Devices Dozee:DP-12500

Picture 1 ECC Admission Dashboard

deviate from the predetermined threshold ranges, enabling the clinical team to act quickly. In the management of acute diseases, where even a minor therapeutic delay can cause significant issues, this quick response is absolutely vital.

The technical integrity of the RPM system depends also on the CCC. Dedicated technical staff guarantees flawless operation of the program, data transfer, and monitoring system. To prevent any interruptions in patient monitoring, the technical staff keeps an eye out for possible problems, such as equipment failures or connectivity problems, and takes proactive measures to fix them. This attention to detail ensures that data flow is not disrupted, preserving the precision and dependability of real-time notifications.

Furthermore, the CCC's real-time monitoring capability provides a whole 360-degree perspective of a patient's clinical course. By use of customized dashboards offering comprehensive knowledge on the patient's health status, clinical teams may identify trends and project future dangers. For patients in need of complex or critical care, super specialists may conduct in-depth investigations and provide informed guidance remotely, therefore ensuring that the patient receives the best treatment possible even in situations when on-site resources can be scant. Apart from clinical warnings, the CCC team manages nonclinical warnings resulting from technical issues. Reacting instantly to these signals, the technical staff guarantees continuous monitoring and data transfer. This simultaneous attention on technical and clinical features guarantees the longevity of the RPM program and supports Apollo Telehealth in providing patients with premium care.

Enhancing Patient Safety through Alert Management and Real-Time Assessment

The real-time alarm system is necessary component of the RPM strategy. It generates visual and aural alarms and notes changes in vital indicators. The nursing and CCC stations send the alerts so that medical staff members may view them immediately. This dual notification system increases situational awareness and helps to enable fast reactions. (12).

Following a clinical alert, the CCC team assesses the patient remotely using a virtual mixed video conference. During this session, specialists review the patient's vitals and medical history and provide informed advice for next actions. Depending on the evaluation, the CCC may suggest moving the patient to the intensive care unit (ICU) for critical care, settle the matter by medical orders, or lead the on-site medical staff through a physical examination.



Picture 2 Live Monitoring Dashboard

Transforming Patient Care: The Impact of Remote Patient Monitoring on Clinical Outcomes at Apollo Telehealth's Connected care programme Protocols for acknowledging and resolving alerts are also included in the system. Non-clinical warnings can be handled over a longer period, but clinical signals need to be evaluated right once. The unambiguous procedures guarantee that patient safety always comes first, reducing the possibility of unfavourable results. RPM guarantees that urgent circumstances are given priority by following stringent clinical procedures for alert acknowledgment. This results in prompt interventions and better clinical outcomes.

Because medical staff are trained to adhere to set protocols for evaluating and responding to alerts, the systematic approach to alert handling promotes an accountable culture. Patient deterioration is avoided and healthcare delivery efficiency is maximized by placing a strong emphasis on the rapid resolution of both clinical and non-clinical alarms. (13)

Alerts distribution

Alerts Generated Total -539275 (5 centres Included)

	Critical		211581				
Warning		3	327694				
		Value		Percent			
High Breath rate		242186		45%			
Low SpO2		97843		18%			
High pulse		63969		12%			
Low Temp		51167		9%			
Low pulse		24011		4%			
Low Breath rate		19016		4%			
Low bpd		16690		3%			
High bps		9230		2%			
Low bps		7656		1%			
High bpd		6566		1%			
High Temp		941		0%			

No. of alerts managed before any patient deterioration.

- Total Alerts Resolved- 424716 •
- Total Critical Alerts Resolved-183773 (43.2%) •
- Total Critical Alerts resolved Clinically-115,776 (63%)
- Total Critical Alerts resolved Non-Clinically-67,996 (37%)
- Total Warning Alerts Resolved- 240943
- Total Warning Alerts resolved Clinically-118062 (49%)
- Total Warning Alerts resolved Non-Clinically-122880 (51%)

Staffing Considerations and Workflow Design for RPM Implementation

The installation of Remote Patient Monitoring (RPM) presents personnel and process problems that Apollo Telehealth (ATH) is actively tackling to provide the best possible patient care. Staffing and workflow redesign must be carefully planned out for RPM to be implemented successfully. Fig-1 is the general workflow of RPM. Already, ATH has hired extra staff members and rearranged roles as needed to satisfy the RPM program's requirements. Giving important tasks including patient recruiting, data monitoring, technical support, and patient education are of the greatest importance which enables the program to be successful. Additionally, ATH makes certain

that clinical staff members are trained on RPM software and equipment, enabling them to incorporate these tools into their regular tasks with ease.s



Fig.1General Workflow of RPM

Comprehensive care team collaboration, patient onboarding, and implementation logistics are all part of ATH's RPM procedure. Procedures have been put in place to deal with data that is out of range and to oversee insurance coverage and reimbursement. Through the creation of a well-organized workflow, ATH ensures that care teams and patients get the assistance they require during the monitoring procedure. These measures show the effectiveness of the RPM program and ATH's determination to constantly improve patient health.

Health Conditions Supported by RPM

The adaptable RPM program offered by Apollo Telehealth can be applied to many medical disorders. RPM has been used to monitor cardiac disease, high blood pressure, diabetes, lung conditions, and post-surgical rehabilitation. It also fits chronic diseases such cancer and neurological problems as

Transforming Patient Care: The Impact of Remote Patient Monitoring on Clinical Outcomes at Apollo Telehealth's Connected care programme

well as transient ones including pregnancy. (14). RPM enables healthcare professionals to better handle difficult diseases by means of ongoing observation.

Challenges in RPM Adoption

RPM has a lot to offer, but there are still issues. One frequent worry is that healthcare professionals' workloads would grow because of the massive amount of data produced by RPM systems. Sorting valuable information from irrelevant information can take a lot of time. Another challenge is the effortless incorporation of RPM data into EMR systems; various device manufacturers make data normalization challenging (15).

Since the dependability of wearable technology might differ, particularly when used outside of controlled environments, data accuracy is a critical concern. (16). Low-income patients may also have limited access to RPM technology due to financial constraints. (17). Furthermore, to prevent breaches of patient data, security and confidentiality of data must be guaranteed.

Pilot Case Study: Impact on ICU Admissions

Apollo Telehealth's Remote Patient Monitoring (RPM) program has demonstrated considerable benefits in reducing intensive care unit admissions and improving patient outcomes in the five Apollo hospitals where it was tested in the pilot phase of implementation. Clinical outcomes, hospital resource consumption, and treatment quality have all significantly improved as a result of the program's continuous monitoring strategy in medical and surgical units. The data analysis that follows displays the key variables related to the success of the program and offers an in-depth account of its effect.

Methodology

Study Design

This study employs a mixed-methods approach to evaluate the effectiveness of the Remote Patient Monitoring (RPM) program implemented by Apollo Telehealth (ATH). The design integrates both quantitative and qualitative data to provide a comprehensive assessment of the program's impact on patient outcomes and healthcare delivery.

Participants

The study population includes:

- Healthcare Providers: Emergency physicians, critical care specialists, and nursing staff involved in the RPM program across five Apollo hospitals.
- **Patients**: Individuals enrolled in the RPM program, particularly those with chronic conditions or acute medical needs.

Data Collection

Data will be collected through the following methods:

- 1. Quantitative Data:
 - Continuous monitoring of patient vital signs (e.g., heart rate, blood pressure, oxygen saturation) using wearable devices.
 - Collection of data on ICU admissions, length of hospital stays, and code blue incidents

before and after the implementation of the RPM program.

2. Qualitative Data:

 Surveys and structured interviews with healthcare providers and patients to gather insights on their experiences with the RPM system, perceived benefits, and challenges faced during implementation.

Data Analysis

1. Quantitative Analysis:

• Statistical methods will be employed to analyze the impact of the RPM program on key outcome measures, including the rate of ICU admissions and patient readmission rates. Descriptive statistics and inferential tests (e.g., t-tests, chi-square tests) will be used to compare pre- and postimplementation data.

2. Qualitative Analysis:

• Thematic analysis will be conducted on qualitative data obtained from surveys and interviews. This will involve coding the data to identify common themes and patterns related to user satisfaction, system usability, and overall effectiveness of the RPM program.

Outcome Measures

The primary outcome measures for this study include:

- Reduction in ICU admissions and length of hospital stays.
- Decrease in the number of code blue incidents.
- Patient satisfaction scores as assessed through surveys.
- Feedback from healthcare providers regarding the usability and effectiveness of the RPM system.

RESULTS

1. Reduction in ICU Stays and Length of Hospital Stay

One of the most significant outcomes of the RPM program has been much reduced ICU visits. The early recognition of patient deterioration made possible by vital sign monitoring enabled for quick medical measures often able to avoid the need for admission to an intensive care unit. Compared to the time preceding the program's introduction, ICU admissions decreased by an average of 25% across the five institutions. For many patients, who could be better treated in less intensive settings, this decrease in intensive care unit admissions also meant shorter hospital stays. A 15% reduction in the average length of stay in the intensive care unit (ICU) for transferred patients resulted in more effective use of ICU beds and the reallocation of resources to patients with more urgent needs.

2. Decrease in Code Blue Rates

The RPM program significantly reduced the number of code blue incidents, which are signs that a patient is in cardiopulmonary arrest and needs emergency resuscitation.

RPM-assisted continuous monitoring made it possible to identify early indicators of patient deterioration, such as variations in heart rate, respiration rate, and oxygen saturation, which enabled medical professionals to take action before a patient's situation got out of hand. The 40% drop in code blue reports in medical-surgical units implies that early action was absolutely vital in preventing life-threatening events.

3. Reduction in Nursing Workload

Along with increasing patient safety, the RPM program helped nursing staff members' workload be less overwhelming. The application saved an expected hour of nursing staff time per shift by automating the constant monitoring of indicators of health and producing alarms for any departures from normal limits. Usually occurring at intervals of four to six hours, this time reductions came from a reduced requirement of routine vital sign checks. Through constant data collecting and analysis, the RPM system offered a more effective workflow that let nurses concentrate on other important responsibilities and direct patient care.

4. Decrease in Patient Readmissions to ICU

The decrease in ICU readmissions of patients was another noteworthy result. The RPM program guaranteed that early signals of relapse were swiftly handled by constantly monitoring patients who were at high risk of worsening or had previously been in critical condition. In addition to improving patient outcomes, this proactive strategy resulted in a 30% reduction in ICU readmissions, which significantly lessened the burden on ICU resources. Cost savings were also aided by the decline in readmissions since fewer patients needed costly intensive care unit (ICU) care after being initially discharged from intensive settings.

5. Increase in Early-Warning Alerts for Critical Situations

Early-warning signals for possibly life-threatening circumstances increased significantly as a result of the RPM program's ability to identify slight changes in patient state through ongoing monitoring. A 35% increase in early-warning alert frequency made it possible for medical teams to react to new threats more skilfully. Clinicians were able to take action before conditions became potentially fatal because of these signals, which were produced by variations in indicators like temperature, heart rate, and breathing rate. In emergency care, where prompt action is essential for successful results, the improved alert system was very helpful.

6. Impact on Hospital Mortality Rates

Hospital mortality rates clearly dropped along with the declining ICU stays, code blue rates, and readmissions. With an overall 12% decrease in in-hospital mortality, the pilot program highlights how well RPM helps to stop the escalation of medical problems. Patients under the RPM program had less problems and generally more favourable clinical course than those in non-monitored facilities. This increase in survival rates was much influenced by the ability to identify and treat early indicators of deterioration.

7. Enhanced Bed Turnover Rate and ICU Availability

As ICU stays, code blue rates, and readmissions decreased, hospital death rates also plainly decreased. The pilot study

demonstrates how well RPM prevents the escalation of medical issues, with an overall 12% decrease in in-hospital mortality. The clinical course of patients in the RPM program was generally better and they experienced fewer issues than patients in non-monitored facilities. This great ability of Remote patient monitoring at ATH to spot and treat early signs of deterioration has a major impact on this rise in survival rates.

8. Cost Savings and Economic Impact

Both the hospital and the patients benefited greatly from the decrease in intensive care unit admissions and length of hospital stay. The RPM program reduced hospital costs related to expensive critical care unit treatments by minimizing complications and lowering the requirement for prolonged intensive care. The expected yearly savings for each hospital came to about \$500,000, which was used to enhance the RPM program and other healthcare projects. Because fewer ICU readmissions and shorter hospital stays meant lower out-ofpocket costs for medical care, patients also gained monetarily.

9. Quality of Care and Patient Satisfaction

The benefit of the RPM program at ATH went beyond clinical measurements to enhance patient happiness and overall care quality. Because they felt more at ease knowing that their health was being closely watched, patients and their families expressed greater levels of pleasure. For people with severe medical conditions or chronic illnesses in particular, the early detection and intervention capabilities provide a sense of security. Positive evaluations of the quality of treatment in RPM-equipped units were 15% higher than those in normal care units, according to feedback from patient satisfaction questionnaires.

CONCLUSION

Remote Patient Monitoring (RPM) implemented by Apollo Telehealth marks a radical turn toward a more effective, patientcentred healthcare system. ATH has effectively shown the promise of RPM to improve clinical outcomes and maximize hospital resources by including wearable sensor technologies, real-time data analytics, and thorough alert management. By allowing constant monitoring and quick intervention, the RPM method has greatly slashed code blue rates, dropped ICU admissions, and lowered patient readmissions. These developments not only increase patient safety but also help healthcare institutions to be less burdened so that resources may be used more wisely.

RPM can help meet the increasing demand for medical services brought on by the growing elderly population and the rise in chronic diseases, as demonstrated by ATH's creative Connected Care Program. By providing a scalable system for RPM over numerous levels of care environments across its hospitals and enabling pre-emptive handling of both acute and chronic conditions, ATH has set a benchmark for modern healthcare delivery. The success of the program emphasizes how crucial it is to use electronic health services to close gaps in conventional hospital-based treatment and guarantee that outstanding actual time patient supervision is affordable and long-lasting.

ATH's role in deploying RPM provides a paradigm for other institutions trying to use technology to fulfil the demands of

contemporary medical practice as healthcare landscape changes post COVID. Though the integration of data, accuracy, and accessibility, present difficulties, the RPM program has set a strong basis for forthcoming developments in telehealth field. The ongoing improvement of ATH's RPM system will help to shape the development of connected care, lower healthcare costs, and improve patient outcomes going forward.

References

- Vegesna A, Tran M, Angelaccio M, Arcona S. Remote patient monitoring via non-invasive digital technologies: A systematic review. Telemed J E Health. 2017;23(1):3-17. doi: 10.1089/tmj.2016.005.
- Field MJ, Grigsby J. Telemedicine and remote patient monitoring. JAMA. 2002 Jul 24-31;288(4):423-5. doi: 10.1001/jama.288.4.423.
- Beane A, Wijesiriwardana W, Pell C, Dullewe NP, Sujeewa JA, Rathnayake RMD, Jayasinghe S, Dondorp AM, Schultsz C, Haniffa R. Recognising the deterioration of patients in acute care wards: a qualitative study. Wellcome Open Res. 2022 Jun 13;7:137. doi: 10.12688/wellcomeopenres.17624.2.
- Kruk ME, Gage AD, Joseph NT, Danaei G, García-Saisó S, Salomon JA. Mortality due to low-quality health systems in the universal health coverage era: A systematic analysis of amenable deaths in 137 countries. Lancet. 2018 Nov 17;392(10160):2203-12. doi: 10.1016/S0140-6736(18)31668-4.
- Apollo Telehealth. Telehealth services. [Internet]. Available from: https://www.apollotelehealth.com/telehealth-services/
- Apollo Hospitals. Apollo Hospitals has launched an automated AI-based real-time rapid response patient monitoring system: Enhanced connected care. [Internet]. Available from: https://www.apollohospitals.com/apollo-in-the-news/apollo-hospitals-has-launched-an-automated-ai-based-real-time-rapid-response-patient-monitoring-system-enhanced-connected-care/
- Serrano LP, Maita KC, Avila FR, Torres-Guzman RA, Garcia JP, Eldaly AS, Haider CR, Felton CL, Paulson MR, Maniaci MJ, Forte AJ. Benefits and challenges of remote patient monitoring as perceived by healthcare practitioners: A systematic review. Perm J. 2023 Dec 15;27(4):100-111. doi: 10.7812/TPP/23.022.
- Wootton R. Twenty years of telemedicine in chronic disease management—an evidence synthesis. J Telemed Telecare. 2012 Jun;18(4):211-20. doi: 10.1258/ jtt.2012.120219.

- Ko HYK, Tripathi NK, Mozumder C, Muengtaweepongsa S, Pal I. Real-time remote patient monitoring and alarming system for noncommunicable lifestyle diseases. Int J Telemed Appl. 2023 Nov 20;2023:9965226. doi: 10.1155/2023/9965226.
- Gandrup J, Ali SM, McBeth J, van der Veer SN, Dixon WG. Remote symptom monitoring integrated into electronic health records: A systematic review. J Am Med Inform Assoc. 2020 Nov;27(11):1752-63. doi: 10.1093/ jamia/ocaa177.
- Coffey JD, Christopherson LA, Williams RD, Gathje SR, Bell SJ, Pahl DF, Manka L, Blegen RN, Maniaci MJ, Ommen SR, Haddad TC. Development and implementation of a nurse-based remote patient monitoring program for ambulatory disease management. Front Digit Health. 2022 Dec 14;4:1052408. doi: 10.3389/ fdgth.2022.1052408.
- Iqbal FM, Lam K, Joshi M, et al. Clinical outcomes of digital sensor alerting systems in remote monitoring: A systematic review and meta-analysis. NPJ Digit Med. 2021;4:7. doi: 10.1038/s41746-020-00378-0.
- 13. Ko HYK, Tripathi NK, Mozumder C, Muengtaweepongsa S, Pal I. Real-time remote patient monitoring and alarming system for noncommunicable lifestyle diseases. Int J Telemed Appl. 2023 Nov 20;2023:9965226. doi: 10.1155/2023/9965226.
- 14. Peyroteo M, Ferreira IA, Elvas LB, Ferreira JC, Lapão LV. Remote monitoring systems for patients with chronic diseases in primary health care: A systematic review. JMIR MhealthUhealth. 2021 Dec 21;9(12). doi: 10.2196/28285.
- 15. Serrano LP, Maita KC, Avila FR, Torres-Guzman RA, Garcia JP, Eldaly AS, Haider CR, Felton CL, Paulson MR, Maniaci MJ, Forte AJ. Benefits and challenges of remote patient monitoring as perceived by healthcare practitioners: A systematic review. Perm J. 2023 Dec 15;27(4):100-111. doi: 10.7812/TPP/23.022.
- 16. Runkle J, Sugg M, Boase D, Galvin SL, Coulson C. Use of wearable sensors for pregnancy health and environmental monitoring: Descriptive findings from the perspective of patients and providers. Digit Health. 2019 Feb 6;5:2055207619828220. doi: 10.1177/2055207619828220.
- Mansell SK, Kilbride C, Wood MJ, Gowing F, Mandal S. Experiences and views of patients, carers and healthcare professionals on using modems in domiciliary non-invasive ventilation (NIV): A qualitative study. BMJ Open Respir Res. 2020 Mar;7(1) doi: 10.1136/bmjresp-2019-000510.

How to cite this article:

Md.Mubasheer Ali ., Vikram Thaploo., Ayesha Nazneen., Mr. Farooq Ahmed and Mr. Pavan Thanneeru. (2024) Transforming Patient Care: The Impact of Remote Patient Monitoring on Clinical Outcomes at Apollo Telehealth's Connected care programme, *International Journal of Current Advanced Research*, 13(11), pp.xxx-xxx
